

# PIX-LawnMaster®-XS

## Lawn Mower Belts



### Features:

- High tensile strength, non-extensibility, high resistance to shock loads
- High resistance to wear and tear, reduced slippage while clutching
- Able to withstand high level of reverse flexing
- High resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C

**Application:** Lawn & garden machinery

### Product range:

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Manufacturing Range		Length Desig.
				Min.	Max.	
3L	9.65	5.59	40	10.5"	177"	La
4L	12.7	7.87	40	15.0"	359"	La
5L	16.7	9.65	40	21.0"	242"	La

Note: Intermediate sizes and OEM parts are available upon request

**PIX-LawnMaster®-XS Dry Cover Belts**


Section: Dry-3L-K

Standard: RMA IP 23

**DRY-3L-K**

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
10.5" to 177"	0.056

Section	Dimensions (mm)		Angle (Degree)	Rec. min pulley dia.	MOQ (No. of V-Belts)
	Top width	Thickness			
3L	9.65	5.59	40	45mm (de)	64

• Nominal Length (inches) = Belt No./10 = 'La'

Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)
DRYB-3L-K-110	11.0	279	DRYB-3L-K-310	31.0	787	DRYB-3L-K-510	51.0	1295
DRYB-3L-K-120	12.0	305	DRYB-3L-K-315	31.5	800	DRYB-3L-K-520	52.0	1321
DRYB-3L-K-130	13.0	330	DRYB-3L-K-320	32.0	813	DRYB-3L-K-530	53.0	1346
DRYB-3L-K-140	14.0	356	DRYB-3L-K-325	32.5	826	DRYB-3L-K-540	54.0	1372
DRYB-3L-K-150	15.0	381	DRYB-3L-K-330	33.0	838	DRYB-3L-K-550	55.0	1397
DRYB-3L-K-160	16.0	406	DRYB-3L-K-340	34.0	864	DRYB-3L-K-560	56.0	1422
DRYB-3L-K-170	17.0	432	DRYB-3L-K-350	35.0	889	DRYB-3L-K-570	57.0	1448
DRYB-3L-K-180	18.0	457	DRYB-3L-K-355	35.5	902	DRYB-3L-K-580	58.0	1473
DRYB-3L-K-190	19.0	483	DRYB-3L-K-360	36.0	914	DRYB-3L-K-590	59.0	1499
DRYB-3L-K-200	20.0	508	DRYB-3L-K-365	36.5	927	DRYB-3L-K-600	60.0	1524
DRYB-3L-K-210	21.0	533	DRYB-3L-K-370	37.0	940	DRYB-3L-K-610	61.0	1549
DRYB-3L-K-220	22.0	559	DRYB-3L-K-380	38.0	965	DRYB-3L-K-620	62.0	1575
DRYB-3L-K-230	23.0	584	DRYB-3L-K-390	39.0	991	DRYB-3L-K-630	63.0	1600
DRYB-3L-K-235	23.5	597	DRYB-3L-K-400	40.0	1016	DRYB-3L-K-640	64.0	1626
DRYB-3L-K-240	24.0	610	DRYB-3L-K-405	40.5	1029	DRYB-3L-K-650	65.0	1651
DRYB-3L-K-250	25.0	635	DRYB-3L-K-410	41.0	1041	DRYB-3L-K-660	66.0	1676
DRYB-3L-K-255	25.5	648	DRYB-3L-K-415	41.5	1054	DRYB-3L-K-670	67.0	1702
DRYB-3L-K-260	26.0	660	DRYB-3L-K-420	42.0	1067	DRYB-3L-K-680	68.0	1727
DRYB-3L-K-265	26.5	673	DRYB-3L-K-430	43.0	1092	DRYB-3L-K-690	69.0	1753
DRYB-3L-K-270	27.0	686	DRYB-3L-K-440	44.0	1118	DRYB-3L-K-710	71.0	1803
DRYB-3L-K-275	27.5	699	DRYB-3L-K-450	45.0	1143	DRYB-3L-K-720	72.0	1829
DRYB-3L-K-280	28.0	711	DRYB-3L-K-460	46.0	1168	DRYB-3L-K-730	73.0	1854
DRYB-3L-K-285	28.5	724	DRYB-3L-K-470	47.0	1194	DRYB-3L-K-740	74.0	1880
DRYB-3L-K-290	29.0	737	DRYB-3L-K-480	48.0	1219	DRYB-3L-K-750	75.0	1905
DRYB-3L-K-295	29.5	749	DRYB-3L-K-490	49.0	1245	DRYB-3L-K-770	77.0	1956
DRYB-3L-K-300	30.0	762	DRYB-3L-K-500	50.0	1270	DRYB-3L-K-790	79.0	2007

- Non standard stock items are available on request
- Other Lawn & Garden Belts are available upon request

# PIX-LawnMaster®-XS Dry Cover Belts


Section: Dry-4L-K

Standard: RMA IP 23

## DRY-4L-K

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
15" to 359"	0.109

Section	Dimensions (mm)		Angle (Degree)	Rec. min pulley dia.	MOQ (No. of V-Belts)
	Top width	Thickness			
4L	12.7	7.87	40	65mm(de)	53

• Nominal Length (inches) = Belt No./10 = 'La'

Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)
DRYB-4L-K-170	17.0	432	DRYB-4L-K-470	47.0	1194	DRYB-4L-K-885	88.5	2248
DRYB-4L-K-180	18.0	457	DRYB-4L-K-480	48.0	1219	DRYB-4L-K-890	89.0	2261
DRYB-4L-K-190	19.0	483	DRYB-4L-K-490	49.0	1245	DRYB-4L-K-895	89.5	2273
DRYB-4L-K-200	20.0	508	DRYB-4L-K-494	49.4	1255	DRYB-4L-K-900	90.0	2286
DRYB-4L-K-210	21.0	533	DRYB-4L-K-495	49.5	1257	DRYB-4L-K-905	90.5	2299
DRYB-4L-K-215	21.5	546	DRYB-4L-K-500	50.0	1270	DRYB-4L-K-910	91.0	2311
DRYB-4L-K-220	22.0	559	DRYB-4L-K-510	51.0	1295	DRYB-4L-K-920	92.0	2337
DRYB-4L-K-230	23.0	584	DRYB-4L-K-520	52.0	1321	DRYB-4L-K-925	92.5	2350
DRYB-4L-K-240	24.0	610	DRYB-4L-K-530	53.0	1346	DRYB-4L-K-930	93.0	2362
DRYB-4L-K-250	25.0	635	DRYB-4L-K-540	54.0	1372	DRYB-4L-K-940	94.0	2388
DRYB-4L-K-260	26.0	660	DRYB-4L-K-550	55.0	1397	DRYB-4L-K-950	95.0	2413
DRYB-4L-K-270	27.0	686	DRYB-4L-K-560	56.0	1422	DRYB-4L-K-960	96.0	2438
DRYB-4L-K-280	28.0	711	DRYB-4L-K-570	57.0	1448	DRYB-4L-K-970	97.0	2464
DRYB-4L-K-290	29.0	737	DRYB-4L-K-580	58.0	1473	DRYB-4L-K-980	98.0	2489
DRYB-4L-K-293	29.3	744	DRYB-4L-K-590	59.0	1499	DRYB-4L-K-990	99.0	2515
DRYB-4L-K-295	29.5	749	DRYB-4L-K-600	60.0	1524	DRYB-4L-K-995	99.5	2527
DRYB-4L-K-300	30.0	762	DRYB-4L-K-610	61.0	1549	DRYB-4L-K-1000	100.0	2540
DRYB-4L-K-305	30.5	775	DRYB-4L-K-620	62.0	1575	DRYB-4L-K-1010	101.0	2565
DRYB-4L-K-310	31.0	787	DRYB-4L-K-630	63.0	1600	DRYB-4L-K-1020	102.0	2591
DRYB-4L-K-313	31.3	795	DRYB-4L-K-640	64.0	1626	DRYB-4L-K-1030	103.0	2616
DRYB-4L-K-315	31.5	800	DRYB-4L-K-650	65.0	1651	DRYB-4L-K-1040	104.0	2642
DRYB-4L-K-320	32.0	813	DRYB-4L-K-660	66.0	1676	DRYB-4L-K-1045	104.5	2654
DRYB-4L-K-325	32.5	826	DRYB-4L-K-665	66.5	1689	DRYB-4L-K-1050	105.0	2667
DRYB-4L-K-330	33.0	838	DRYB-4L-K-670	67.0	1702	DRYB-4L-K-1060	106.0	2692
DRYB-4L-K-335	33.5	851	DRYB-4L-K-680	68.0	1727	DRYB-4L-K-1070	107.0	2718
DRYB-4L-K-340	34.0	864	DRYB-4L-K-690	69.0	1753	DRYB-4L-K-1080	108.0	2743
DRYB-4L-K-344	34.4	874	DRYB-4L-K-700	70.0	1778	DRYB-4L-K-1090	109.0	2769
DRYB-4L-K-345	34.5	876	DRYB-4L-K-710	71.0	1803	DRYB-4L-K-1100	110.0	2794
DRYB-4L-K-350	35.0	889	DRYB-4L-K-720	72.0	1829	DRYB-4L-K-1110	111.0	2819
DRYB-4L-K-355	35.5	902	DRYB-4L-K-730	73.0	1854	DRYB-4L-K-1120	112.0	2845
DRYB-4L-K-360	36.0	914	DRYB-4L-K-740	74.0	1880	DRYB-4L-K-1130	113.0	2870
DRYB-4L-K-370	37.0	940	DRYB-4L-K-750	75.0	1905	DRYB-4L-K-1140	114.0	2896
DRYB-4L-K-375	37.5	953	DRYB-4L-K-760	76.0	1930	DRYB-4L-K-1150	115.0	2921
DRYB-4L-K-380	38.0	965	DRYB-4L-K-770	77.0	1956	DRYB-4L-K-1160	116.0	2946
DRYB-4L-K-390	39.0	991	DRYB-4L-K-780	78.0	1981	DRYB-4L-K-1170	117.0	2972
DRYB-4L-K-395	39.5	1003	DRYB-4L-K-785	78.5	1994	DRYB-4L-K-1180	118.0	2997
DRYB-4L-K-400	40.0	1016	DRYB-4L-K-790	79.0	2007	DRYB-4L-K-1190	119.0	3023
DRYB-4L-K-405	40.5	1029	DRYB-4L-K-800	80.0	2032	DRYB-4L-K-1200	120.0	3048
DRYB-4L-K-410	41.0	1041	DRYB-4L-K-810	81.0	2057	DRYB-4L-K-1260	126.0	3200
DRYB-4L-K-420	42.0	1067	DRYB-4L-K-820	82.0	2083	DRYB-4L-K-1280	128.0	3251
DRYB-4L-K-425	42.5	1080	DRYB-4L-K-830	83.0	2108	DRYB-4L-K-1320	132.0	3353
DRYB-4L-K-430	43.0	1092	DRYB-4L-K-840	84.0	2134	DRYB-4L-K-1360	136.0	3454
DRYB-4L-K-440	44.0	1118	DRYB-4L-K-850	85.0	2159	DRYB-4L-K-1390	139.0	3531
DRYB-4L-K-450	45.0	1143	DRYB-4L-K-860	86.0	2184	DRYB-4L-K-1400	140.0	3556
DRYB-4L-K-455	45.5	1156	DRYB-4L-K-870	87.0	2210	DRYB-4L-K-1440	144.0	3658
DRYB-4L-K-460	46.0	1168	DRYB-4L-K-880	88.0	2235	DRYB-4L-K-1580	158.0	4013

• Non standard stock items are available on request  
 • Other Lawn & Garden Belts are available upon request

**PIX-LawnMaster®-XS Dry Cover Belts**


Section: Dry-5L-K

Standard: RMA IP 23

**DRY-5L-K**

Features :

- High tensile strength
- Non extensibility
- High resistance to shock loads
- High resistance to wear and tear
- Reduced slippage while clutching
- High resistance to repeated reverse flexing
- High resistance to oil, heat and cracking
- Temperature range: -18°C to +80°C



Mfg. range	Weight/metre (Kgs)
21" to 242"	0.164

Section	Dimensions (mm)		Angle (Degree)	Rec. min pulley dia.	MOQ (No. of V-Belts)
	Top width	Thickness			
5L	16.7	9.65	40	91mm(de)	36

• Nominal Length (inches) = Belt No./10 = 'La'

Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)	Belt Reference	Outside Length (inches)	La (mm)
DRYB-5L-K-230	23	584	DRYB-5L-K-540	54	1372	DRYB-5L-K-870	87	2210
DRYB-5L-K-240	24	610	DRYB-5L-K-550	55	1397	DRYB-5L-K-880	88	2235
DRYB-5L-K-250	25	635	DRYB-5L-K-560	56	1422	DRYB-5L-K-890	89	2261
DRYB-5L-K-260	26	660	DRYB-5L-K-570	57	1448	DRYB-5L-K-900	90	2286
DRYB-5L-K-270	27	686	DRYB-5L-K-580	58	1473	DRYB-5L-K-910	91	2311
DRYB-5L-K-280	28	711	DRYB-5L-K-590	59	1499	DRYB-5L-K-920	92	2337
DRYB-5L-K-290	29	737	DRYB-5L-K-600	60	1524	DRYB-5L-K-930	93	2362
DRYB-5L-K-300	30	762	DRYB-5L-K-610	61	1549	DRYB-5L-K-940	94	2388
DRYB-5L-K-310	31	787	DRYB-5L-K-620	62	1575	DRYB-5L-K-950	95	2413
DRYB-5L-K-320	32	813	DRYB-5L-K-630	63	1600	DRYB-5L-K-960	96	2438
DRYB-5L-K-330	33	838	DRYB-5L-K-640	64	1626	DRYB-5L-K-970	97	2464
DRYB-5L-K-340	34	864	DRYB-5L-K-650	65	1651	DRYB-5L-K-980	98	2489
DRYB-5L-K-350	35	889	DRYB-5L-K-660	66	1676	DRYB-5L-K-990	99	2515
DRYB-5L-K-360	36	914	DRYB-5L-K-670	67	1702	DRYB-5L-K-1000	100	2540
DRYB-5L-K-370	37	940	DRYB-5L-K-680	68	1727	DRYB-5L-K-1010	101	2565
DRYB-5L-K-380	38	965	DRYB-5L-K-690	69	1753	DRYB-5L-K-1020	102	2591
DRYB-5L-K-390	39	991	DRYB-5L-K-700	70	1778	DRYB-5L-K-1030	103	2616
DRYB-5L-K-400	40	1016	DRYB-5L-K-710	71	1803	DRYB-5L-K-1040	104	2642
DRYB-5L-K-410	41	1041	DRYB-5L-K-720	72	1829	DRYB-5L-K-1050	105	2667
DRYB-5L-K-415	41.5	1054	DRYB-5L-K-730	73	1854	DRYB-5L-K-1060	106	2692
DRYB-5L-K-420	42	1067	DRYB-5L-K-740	74	1880	DRYB-5L-K-1070	107	2718
DRYB-5L-K-429	42.9	1090	DRYB-5L-K-750	75	1905	DRYB-5L-K-1080	108	2743
DRYB-5L-K-430	43	1092	DRYB-5L-K-760	76	1930	DRYB-5L-K-1090	109	2769
DRYB-5L-K-440	44	1118	DRYB-5L-K-770	77	1956	DRYB-5L-K-1100	110	2794
DRYB-5L-K-450	45	1143	DRYB-5L-K-780	78	1981	DRYB-5L-K-1110	111	2819
DRYB-5L-K-460	46	1168	DRYB-5L-K-790	79	2007	DRYB-5L-K-1120	112	2845
DRYB-5L-K-470	47	1194	DRYB-5L-K-800	80	2032	DRYB-5L-K-1140	114	2896
DRYB-5L-K-480	48	1219	DRYB-5L-K-810	81	2057	DRYB-5L-K-1180	118	2997
DRYB-5L-K-490	49	1245	DRYB-5L-K-820	82	2083	DRYB-5L-K-1190	119	3023
DRYB-5L-K-500	50	1270	DRYB-5L-K-830	83	2108	DRYB-5L-K-1200	120	3048
DRYB-5L-K-510	51	1295	DRYB-5L-K-840	84	2134	DRYB-5L-K-1280	128	3251
DRYB-5L-K-520	52	1321	DRYB-5L-K-850	85	2159			
DRYB-5L-K-530	53	1346	DRYB-5L-K-860	86	2184			

• Non standard stock items are available on request  
 • Other Lawn & Garden Belts are available upon request

## PIX SPECIAL LAWN & GARDEN BELTS: A-

### Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	To suit	Belt Reference	To suit
A-514773	ALKO	A-MBA4471	BOBCAT / RANSOMES
A-521048	ALKO	A-MBA4472	BOBCAT / RANSOMES
A-514882	AL-KO	A-PL0511	BUNTON
A-P138300680	AL-KO	A-00330020140	CASTEL GARDEN
A-72052	ARIENS	A-135061429/0	CASTEL GARDEN
A-72066	ARIENS	A-135061430/0	CASTEL GARDEN
A-72080	ARIENS	A-135062003/1	CASTEL GARDEN
A-72086	ARIENS	A-135063170/0	CASTEL GARDEN
A-72108	ARIENS	A-135063710/0	CASTEL GARDEN
A-72112	ARIENS	A-135064010/0	CASTEL GARDEN
A-72113	ARIENS	A-135064100/0	CASTEL GARDEN
A-72171	ARIENS	A-135064196/0	CASTEL GARDEN
A-3139	AS-MOTOR	A-1481	CASTEL GARDEN
A-3431	AS-MOTOR	A-35006003	CASTEL GARDEN
A-3984	AS-MOTOR	A-35061400	CASTEL GARDEN
A-4283	AS-MOTOR	A-35061403	CASTEL GARDEN
A-4592	AS-MOTOR	A-35061404/0	CASTEL GARDEN
A-106085X	AYP	A-35061405	CASTEL GARDEN
A-106412X	AYP	A-35061406	CASTEL GARDEN
A-106729X	AYP	A-35061424	CASTEL GARDEN
A-110883	AYP	A-35061426	CASTEL GARDEN
A-110884X	AYP	A-35061427/0C	CASTEL GARDEN
A-124525	AYP	A-35061501	CASTEL GARDEN
A-125907X	AYP	A-35061502/0	CASTEL GARDEN
A-126520X	AYP	A-35061504	CASTEL GARDEN
A-130801	AYP	A-35061508	CASTEL GARDEN
A-130969	AYP	A-35061980	CASTEL GARDEN
A-131006	AYP	A-35062000	CASTEL GARDEN
A-131264	AYP	A-35062001	CASTEL GARDEN
A-131290	AYP	A-35062010	CASTEL GARDEN
A-137078	AYP	A-35062011	CASTEL GARDEN
A-137153	AYP	A-35062012	CASTEL GARDEN
A-138255	AYP	A-35062013	CASTEL GARDEN
A-140067	AYP	A-35062014	CASTEL GARDEN
A-140218	AYP	A-35062811	CASTEL GARDEN
A-140218X	AYP	A-35062812	CASTEL GARDEN
A-140294	AYP	A-35062813	CASTEL GARDEN
A-141410	AYP	A-35062814	CASTEL GARDEN
A-141416	AYP	A-35063175/0	CASTEL GARDEN
A-144200	AYP	A-35063710	CASTEL GARDEN
A-148763	AYP	A-35063800	CASTEL GARDEN
A-158818	AYP	A-35063900	CASTEL GARDEN
A-165631	AYP	A-35063900	CASTEL GARDEN
A-174978	AYP	A-35063902	CASTEL GARDEN
A-180217	AYP	A-35064000/0	CASTEL GARDEN
A-191273	AYP	A-35064100	CASTEL GARDEN
A-402008	AYP	A-35064150	CASTEL GARDEN
A-138399	AYP / HUSQVARNA	A-35064195	CASTEL GARDEN
A-139573	AYP / HUSQVARNA	A-35064197	CASTEL GARDEN
A-156971	AYP / HUSQVARNA	A-35064373/0	CASTEL GARDEN
A-1727407	AYP / HUSQVARNA	A-35064378/0	CASTEL GARDEN
A-419271	AYP / HUSQVARNA	A-35064379/0	CASTEL GARDEN
A-38017N	BOBCAT	A-35064383/0	CASTEL GARDEN
A-38211	BOBCAT	A-35064384/0	CASTEL GARDEN
A-78031N	BOBCAT	A-35064390/0	CASTEL GARDEN
A-38015N	BOBCAT / RANSOMES	A-35065700	CASTEL GARDEN
A-38016N	BOBCAT / RANSOMES	A-35065701	CASTEL GARDEN
A-38111	BOBCAT / RANSOMES	A-203791	COMET
A-38249	BOBCAT / RANSOMES	A-7543055	CUB CADET
A-490600	BOBCAT / RANSOMES	A-7650	DIXON

• Non standard stock items are available upon request

## PIX SPECIAL LAWN & GARDEN BELTS: A-

### Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	To suit	Belt Reference	To suit
A-7725	DIXON	A-EPCO43836	JOHN DEERE
A-25632	ETESIA	A-GC00081	JOHN DEERE
A-25680	ETESIA	A-GX10176	JOHN DEERE
A-00.3091.41	GUTBROD	A-GX21833	JOHN DEERE
A-000.705.709	GUTBROD	A-GX22036	JOHN DEERE
A-000.75.154	GUTBROD	A-GY20570	JOHN DEERE
A-000.75.325	GUTBROD	A-M110313	JOHN DEERE
A-000.75.558	GUTBROD	A-M110978	JOHN DEERE
A-000.75.666	GUTBROD	A-M111534	JOHN DEERE
A-000.75.699	GUTBROD	A-M115776	JOHN DEERE
A-000.75.734	GUTBROD	A-M118685	JOHN DEERE
A-000.75.748	GUTBROD	A-M123281	JOHN DEERE
A-000.75.766	GUTBROD	A-M124895	JOHN DEERE
A-000.75.840	GUTBROD	A-M128733	JOHN DEERE
A-000.75.857	GUTBROD	A-M141627	JOHN DEERE
A-000.75.863	GUTBROD	A-M142997	JOHN DEERE
A-000.75.875	GUTBROD	A-M143888	JOHN DEERE
A-000.75.881	GUTBROD	A-M154294	JOHN DEERE
A-000.75.940	GUTBROD	A-M154621	JOHN DEERE
A-000.75.944	GUTBROD	A-M40223	JOHN DEERE
A-000.75.953	GUTBROD	A-M41668	JOHN DEERE
A-000.75.994	GUTBROD	A-M44121	JOHN DEERE
A-132801	HUSQVARNA	A-M47765	JOHN DEERE
A-132801	HUSQVARNA	A-M47766 CPT	JOHN DEERE
A-144959D	HUSQVARNA	A-M74747	JOHN DEERE
A-174368	HUSQVARNA	A-M82167	JOHN DEERE
A-174883	HUSQVARNA	A-M82258	JOHN DEERE
A-178138	HUSQVARNA	A-M82538	JOHN DEERE
A-180214	HUSQVARNA	A-M86248	JOHN DEERE
A-180808	HUSQVARNA	A-M95087	JOHN DEERE
A-197242	HUSQVARNA	A-PT8675	JOHN DEERE
A-295673001	HUSQVARNA	A-R128502A	JOHN DEERE
A-501986601	HUSQVARNA	A-TCU13198	JOHN DEERE
A-501986605	HUSQVARNA	A-TCU16092	JOHN DEERE
A-506-2767-43	HUSQVARNA	A-14911-97010	KUBOTA
A-50654901	HUSQVARNA	A-66101-25080	KUBOTA
A-506768401	HUSQVARNA	A-70713-34770	KUBOTA
A-506768501	HUSQVARNA	A-76500-34710	KUBOTA
A-506925401	HUSQVARNA	A-76505-34710	KUBOTA
A-506931101	HUSQVARNA	A-76529-34710	KUBOTA
A-5069883-01	HUSQVARNA	A-76539-34710	KUBOTA
A-532169178	HUSQVARNA	A-K5201-71410	KUBOTA
A-532196103	HUSQVARNA	A-K5645-34710	KUBOTA
A-532197253	HUSQVARNA	A-K5647-34710	KUBOTA
A-532420807	HUSQVARNA	A-K5651-34710	KUBOTA
A-535411901	HUSQVARNA	A-K5700-34710	KUBOTA
A-54068101	HUSQVARNA	A-K5764-34710	KUBOTA
A-544113301	HUSQVARNA	A-00.3091.10	KYNAST
A-5444002-01	HUSQVARNA	A-00.3091.20	KYNAST
A-5752256-01	HUSQVARNA	A-00.3091.40	KYNAST
A-575225801	HUSQVARNA	A-900017010020	MOTEC
A-583581401	HUSQVARNA	A-100.000.900	MTD
A-584897001	HUSQVARNA	A-1762	MTD
A-585034401	HUSQVARNA	A-7540101A	MTD
A-585034501	HUSQVARNA	A-7540125B	MTD
A-IP3010013	IBEA	A-7540131	MTD
A-IP3010019	IBEA	A-7540145A	MTD
A-IP3010020	IBEA	A-7540151	MTD
A-IP3010027	IBEA	A-7540194	MTD
A-EPCO43827	JOHN DEERE	A-7540195A	MTD

• Non standard stock items are available upon request



**PIX SPECIAL LAWN & GARDEN BELTS: A-**

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	To suit	Belt Reference	To suit
A-7540197	MTD	A-75404258	MTD
A-7540226	MTD	A-75404268	MTD
A-7540230	MTD	A-7540427	MTD
A-7540240	MTD	A-7540430B	MTD
A-7540241A	MTD	A-7540433	MTD
A-7540264	MTD	A-7540434	MTD
A-7540266	MTD	A-7540436	MTD
A-7540270	MTD	A-7540439	MTD
A-7540271	MTD	A-7540440	MTD
A-7540280A	MTD	A-7540443A	MTD
A-7540281	MTD	A-7540444	MTD
A-7540293	MTD	A-7540445	MTD
A-7540327	MTD	A-7540453	MTD
A-7540328	MTD	A-7540456	MTD
A-7540329A	MTD	A-7540461	MTD
A-7540338	MTD	A-7540467	MTD
A-7540343	MTD	A-7540468	MTD
A-7540346	MTD	A-7540470	MTD
A-7540349A	MTD	A-7540474	MTD
A-7540350	MTD	A-7540475	MTD
A-7540355	MTD	A-7540478	MTD
A-7540358	MTD	A-7540479	MTD
A-7540362	MTD	A-7540484	MTD
A-7540363	MTD	A-7540486	MTD
A-7540364	MTD	A-7540489	MTD
A-7540369	MTD	A-7540492	MTD
A-7540370	MTD	A-7540493	MTD
A-7540371A	MTD	A-7540494	MTD
A-75404001A	MTD	A-7540498	MTD
A-75404013	MTD	A-7540499	MTD
A-75404024	MTD	A-75405040	MTD
A-75404028	MTD	A-7540525	MTD
A-75404032B	MTD	A-7540626B	MTD
A-75404038	MTD	A-7540629A	MTD
A-75404039	MTD	A-7540630	MTD
A-75404044	MTD	A-7540631	MTD
A-75404045	MTD	A-7540632	MTD
A-75404048	MTD	A-7540634	MTD
A-75404050A	MTD	A-7540640	MTD
A-75404052	MTD	A-7540642	MTD
A-75404060B	MTD	A-7540754	MTD
A-75404062	MTD	A-7540935	MTD
A-75404069	MTD	A-754246	MTD
A-75404075	MTD	A-7543068	MTD
A-75404077	MTD	A-95404041	MTD
A-75404087	MTD	A-9540461	MTD
A-75404093	MTD	A-9540476	MTD
A-75404100	MTD	A-00.3091.30	MURRAY
A-75404122	MTD	A-12-4998	MURRAY
A-75404123	MTD	A-37X102	MURRAY
A-75404153A	MTD	A-37X113MA	MURRAY
A-75404170	MTD	A-37X114MA	MURRAY
A-75404171	MTD	A-37x115	MURRAY
A-75404174	MTD	A-37X128	MURRAY
A-75404175	MTD	A-37x131	MURRAY
A-75404184	MTD	A-37X27	MURRAY
A-75404188	MTD	A-37x56	MURRAY
A-75404211	MTD	A-37X84	MURRAY
A-75404222	MTD	A-37X89	MURRAY
A-75404252	MTD	A-42111	MURRAY

• Non standard stock items are available upon request

**PIX SPECIAL LAWN & GARDEN BELTS: A-**

Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	To suit	Belt Reference	To suit
A-579932	MURRAY	A-29741	SABO
A-585416	MURRAY	A-30447	SABO
A-7101193	MURRAY	A-48083	SCAG
A-723738	MURRAY	A-48087	SCAG
A-7701014MA	MURRAY	A-48204	SCAG
A-100000047	MURRAY / KYNAST	A-48912	SCAG
A-100000048	MURRAY / KYNAST	A-108505	SIMPLICITY
A-100000049	MURRAY / KYNAST	A-108508	SIMPLICITY
A-100000050	MURRAY / KYNAST	A-1666698	SIMPLICITY
A-100000791	MURRAY / KYNAST	A-1668066	SIMPLICITY
A-1001223EB	MURRAY / KYNAST	A-1670835	SIMPLICITY
A-MU690071	MURRAY IBEA	A-169178	SIMPLICITY
A-37X11	MURRAY/MOUNTFIELD	A-1703466	SIMPLICITY
A-37X12	MURRAY/MOUNTFIELD	A-1703836	SIMPLICITY
A-37X22	MURRAY/MOUNTFIELD	A-1716854	SIMPLICITY
A-37X24	MURRAY/MOUNTFIELD	A-1733051	SIMPLICITY
A-37X26	MURRAY/MOUNTFIELD	A-1733507	SIMPLICITY
A-37X3	MURRAY/MOUNTFIELD	A-10749	SNAPPER
A-37X38	MURRAY/MOUNTFIELD	A-12353	SNAPPER
A-37X40	MURRAY/MOUNTFIELD	A-12354	SNAPPER
A-37X43	MURRAY/MOUNTFIELD	A-12508	SNAPPER
A-37X45	MURRAY/MOUNTFIELD	A-14525	SNAPPER
A-37X49	MURRAY/MOUNTFIELD	A-14800	SNAPPER
A-37X57	MURRAY/MOUNTFIELD	A-18236	SNAPPER
A-37X59	MURRAY/MOUNTFIELD	A-23710	SNAPPER
A-37X61	MURRAY/MOUNTFIELD	A-7010749	SNAPPER
A-37X62	MURRAY/MOUNTFIELD	A-7013937	SNAPPER
A-37X63	MURRAY/MOUNTFIELD	A-7013939 42-4238	SNAPPER
A-37X64	MURRAY/MOUNTFIELD	A-7022252	SNAPPER
A-37X65	MURRAY/MOUNTFIELD	A-7024750	SNAPPER
A-37X66	MURRAY/MOUNTFIELD	A-7029101	SNAPPER
A-37X68	MURRAY/MOUNTFIELD	A-7075706	SNAPPER
A-37X69	MURRAY/MOUNTFIELD	A-880268	SNAPPER
A-37X70	MURRAY/MOUNTFIELD	A-1111905101	STIGA
A-37X74	MURRAY/MOUNTFIELD	A-1111905201	STIGA
A-37X75	MURRAY/MOUNTFIELD	A-1111905701	STIGA
A-37X80	MURRAY/MOUNTFIELD	A-1111906001	STIGA
A-37X81	MURRAY/MOUNTFIELD	A-1134900601	STIGA
A-37x86	MURRAY/MOUNTFIELD	A-1134900701	STIGA
A-37X87	MURRAY/MOUNTFIELD	A-1134900801	STIGA
A-37X88	MURRAY/MOUNTFIELD	A-1134900901	STIGA
A-37X92	MURRAY/MOUNTFIELD	A-1134901001	STIGA
A-37X93	MURRAY/MOUNTFIELD	A-1134901101	STIGA
A-300680	NOMA / AMF / DYNAMARK	A-1134901201	STIGA
A-301935	NOMA / AMF / DYNAMARK	A-1134901301	STIGA
A-318372	NOMA / AMF / DYNAMARK	A-1134901601	STIGA
A-43066	NOMA / AMF / DYNAMARK	A-1134901701	STIGA
A-48044	NOMA / AMF / DYNAMARK	A-1134901901	STIGA
A-49878	NOMA / AMF / DYNAMARK	A-1134902001	STIGA
A-57214	NOMA / AMF / DYNAMARK	A-1134902901	STIGA
A-58170	NOMA / AMF / DYNAMARK	A-1134903101	STIGA
A-506296702	PARTNER	A-1134904501	STIGA
A-72321	PILOTE	A-1151-0128-11	STIGA
A-13567A	PUBERT	A-1621001501	STIGA
A-13598A	PUBERT	A-6290-704-2115 A	STIGA
A-18244	SABO	A-6361-704-2100-B	STIGA
A-18812	SABO	A-7951134-9071-01	STIGA
A-19220	SABO	A-9585-0080-00	STIGA
A-19227	SABO	A-9585-0081-00	STIGA

• Non standard stock items are available upon request



## PIX SPECIAL LAWN & GARDEN BELTS: A-

### Features :

- Designed for efficient power transmission with minimised heat generation
- Provides high stability and minimizes deflection in the cross section
- Minimum stretch stiff polyester cords have been designed for heavy power transmission, while at the same time ensuring a very high degree of length stability
- The sides of the belt have excellent abrasion resistant properties contributing significantly to long and useful belt life
- Moulded cogs reduces bending stresses and improves heat dissipation in Raw Edge Cogged construction

Belt Reference	To suit	Belt Reference	To suit
A-9585-0091-01	STIGA	A-539660	TORO / WHEEL HORSE
A-9585-0129-01	STIGA	A-5-4505	TORO / WHEEL HORSE
A-9585013201	STIGA	A-696220	TORO / WHEEL HORSE
A-9585-0164-01	STIGA	A-710232	TORO / WHEEL HORSE
A-9585-0197-01	STIGA	A-88-6250	TORO / WHEEL HORSE
A-9585-0200-01	STIGA	A-912258	TORO / WHEEL HORSE
A-94900007850	STIHL	A-993904	TORO / WHEEL HORSE
A-94900007851	STIHL	A-994627	TORO / WHEEL HORSE
A-94900007900	STIHL	A-994647	TORO / WHEEL HORSE
A-9585005000	STIHL	A-6170-704-2111	VIKING
A-9585-0087-00	STIHL	A-6170-704-2116	VIKING
A-HB010043	TIELBURGER	A-6241-711-5010-A	VIKING
A-102742	TORO / WHEEL HORSE	A-6290-704-2110A	VIKING
A-1058783	TORO / WHEEL HORSE	A-6380-704-2101-A	VIKING
A-1067369	TORO / WHEEL HORSE	A-6380-704-2110 A04	VIKING
A-210890	TORO / WHEEL HORSE	A-7231	WALKER
A-271160	TORO / WHEEL HORSE	A-7234	WALKER
A-446260	TORO / WHEEL HORSE	A-0039005	WOLF
A-448990	TORO / WHEEL HORSE	A-0039207	WOLF
A-514290	TORO / WHEEL HORSE	A-0039215	WOLF
A-5364	TORO / WHEEL HORSE		

